

	A	B	C	D	E
1	HCPCS	Description	Electric		Manual
2			EA	Replace	EA
3	E0950	Wheelchair accessory tray, each	88.43		102.60
4	E0951	Heel loop/holder, any type, with or without ankle strap, each	15.62		18.12
5	E0952	Toe loop/holder, any type, each	14.93		17.32
6	E0955	Wheelchair accessory, headrest, cushioned, any type, including fixed mounting hardware, each	171.99		199.55
7	E0956	Wheelchair accessory, lateral trunk or hip support, any type, including fixed mounting hardware, each	83.86		97.30
8	E0957	Wheelchair accessory, medial thigh support, any type, including fixed mounting hardware, ea	117.34		136.14
9	E0958	Manual wheelchair accessory, one-arm drive attachment, each	430.61		
10	E0959	Manual wheelchair accessory, adapter for amputee, each	37.09		
11	E0960	Wheelchair accessory, shoulder harness/straps or chest strap, including any type mounting hardware	77.40		89.80
12	E0961	Manual wheelchair accessory, wheel lock brake extension (handle), each	29.36		
13	E0966	Manual wheelchair accessory, headrest extension, each	69.19		
14	E0967	Manual wheelchair accessory hand rim with projections, any type, each <b>(replacement only)</b>	64.83		
15	E0969	Narrowing device, wheelchair	154.44		
16	E0970	No. 2 footplates, except for elevating leg rest	HP		
17	E0971	Manual wheelchair accessory, anti-tipping device, each (Included with New Power Chairs, for replacement on power wheelchairs, use K0108 )	42.83		
18	E0973	Wheelchair accessory, adjustable height, detachable armrest, complete assembly, each	97.81		120.72
19	E0974	Manual wheelchair accessory, anti-rollback device, each	65.78		
20	E0978	Wheelchair accessory, positioning belt/safety belt/pelvic strap, each	36.32		42.15
21	E0980	Safety vest, wheelchair	32.63		
22	E0981	Wheelchair accessory, seat upholstery, replacement only, each	38.53		44.70
23	E0982	Wheelchair accessory, back upholstery, replacement only, each	37.26		43.23
24	E0983	Manual wheelchair accessory, power add-on to convert manual wheelchair to motorized wheelchair, joystick control	2466.84		
25	E0984	Power add-on to convert manual wheelchair to power wheelchair, tiller control	1602.88		
26	E0985	Wheelchair accessory, seat lift mechanism	200.21		
27	E0986	Manual wheelchair accessory, push activated power assist, each	4801.00		
28	E0988	Manual wheelchair accessory, lever-activated, wheel drive, pair	3022.48		
29	E0990	Wheelchair accessory, elevating legrest, complete assembly, each	88.80		103.03
30	E0992	Manual wheelchair accessory, solid seat insert	93.53		
31	E0994	Arm rest, each	17.38		
32	E0995	Wheelchair accessory, calf rest/pad, each	25.86		
33	E1002	Wheelchair accessory, power seating system, tilt only	3448.07		
34	E1003	Wheelchair accessory, power seating system, recline only, without shear reduction	3735.68		

	A	B	C	D	E
1	HCPCS	Description	Electric		Manual
35	E1004	Wheelchair accessory, power seating system, recline only, with mechanical shear reduction	4805.75		
36	E1005	Wheelchair accessory, power seating system, recline only, with power shear reduction	4483.50		
37	E1006	Wheelchair accessory, power seating system, combination tilt and recline, without shear reduction	5491.87		
38	E1007	Wheelchair accessory, power seating system, combination tilt and recline, with mechanical shear reduction	7436.20		
39	E1008	Wheelchair accessory, power seating system, combination tilt and recline, with power shear reduction	7436.87		
40	E1009	Wheelchair accessory, addition to power seating system, mechanically linked leg elevation system, including pushrod and leg rest, each	HP		
41	E1010	Wheelchair accessory, addition to power seating system, power leg elevation system, including leg rest, pair	973.02		
42	E1011	Modification to Pediatric size wheelchair, width adjustment package (not to be dispensed with initial chair)	HP		
43	E1014	Reclining back, addition to pediatric size wheelchair	360.40		
44	E1015	Shock absorber for manual wheelchair, each	113.21		
45	E1016	Shock absorber for power wheelchair, each	111.71		129.61
46	E1017	Heavy-duty shock absorber for heavy-duty or extra heavy-duty manual wheelchair, each	HP		
47	E1018	Heavy-duty shock absorber for heavy-duty or extra heavy-duty power wheelchair, each	HP		
48	E1020	Residual limb support systems for wheelchair, any type	207.07		240.25
49	E1028	Wheelchair accessory, manual swingaway retractable or removable mounting hardware for joystick, other control interface or positioning accessory	175.70		203.86
50	E1029	Wheelchair accessory, ventilator tray, fixed	314.36		
51	E1030	Wheelchair accessory, ventilator tray, gimbaled	991.30		
52	E1161	Manual adult size wheelchair, includes tilt in space	2335.33		
53	E1225	Wheelchair accessory, manual semi-reclining back, ( recline greater than 15 degrees, but less than 80 degrees ), each	446.12		
54	E1226	Wheelchair accessory, manual fully reclining back, ( recline greater than 80 degrees ), each	538.55		
55	E1227	Special heigh arms for wheelchair	273.62		291.09
56	E1228	Special back height for wheelchair	235.09		
57	E1229	Wheelchair, pediatric size, not otherwise specified	HP		
58	E1230	Power operated vehicle (three or four-wheel non-highway ), specify brand name and model number	1953.26		
59	E1231	Wheelchair, pediatric size, tilt-in-space, rigid, adjustable, with seating system	HP		
60	E1232	Wheelchair, pediatric size, tilt-n-space, folding, adjustable, with seating system	2110.61		
61	E1233	Wheelchair, pediatric size, tilt-in-space, rigid, adjustable, without seating system	2186.93		
62	E1234	Wheelchair, pediatric size, tilt-in-space, folding, adjustable, without seating system	1903.88		
63	E1235	Wheelchair, pediatric size, rigid, adjustable, with seating system	1833.28		

	A	B	C	D	E
1	HCPCS	Description	Electric		Manual
64	E1236	Wheelchair, pediatric size, folding, adjustable, with seating system	1617.43		
65	E1237	Wheelchair, pediatric size, rigid, adjustable, without seating system	1631.56		
66	E1238	Wheelchair, pediatric size, folding, adjustable, without seating system	1617.43		
67	E2201	Manual wheelchair accessory, nonstandard seat frame, width greater than or equal to 20 inches and less than 24 inches	368.25		
68	E2202	Manual wheelchair accessory, nonstandard seat frame width, 24-27 inches	467.82		
69	E2203	Manual wheelchair accessory, nonstandard seat frame depth, 20 to less than 22 inches	472.82		
70	E2204	Manual wheelchair accessory, nonstandard seat frame depth, 22 to 25 inches	802.83		
71	E2205	Manual wheelchair accessory, handrim without projections, (includes ergonomic or contoured) any type, replacement only, each	32.24		
72	E2206	Manual wheelchair accessory, wheel lock assembly, complete, each	40.15		
73	E2207	Wheelchair accessory, crutch and cane holder, each	42.79		
74	E2208	Wheelchair accessory, cylinder tank carrier, each	101.05		117.24
75	E2209	Accessory, arm trough, with or without hand support, each	91.16		105.77
76	E2210	Wheelchair accessory, bearings, any type, replacement only, each	5.57		6.47
77	E2211	Manual wheelchair accessory, pneumatic propulsion tire, any size, each	36.38		
78	E2212	Manual wheelchair accessory, tube for pneumatic propulsion tire, any size, each	5.80		
79	E2213	Manual wheelchair accessory, insert for pneumatic propulsion tire ( removable ), any type, any size, each	30.01		
80	E2214	Manual wheelchair accessory, pneumatic caster tire, any size, each	30.20		
81	E2215	Manual wheelchair accessory, tube for pneumatic caster tire, any size, each	9.48		
82	E2216	Manual wheelchair accessory, foam filled propulsion tire, any size, each	HP		
83	E2217	Manual wheelchair accessory, foam filled caster tire, any size, each	HP		
84	E2218	Manual wheelchair accessory, foam propulsion tire, any size, each	HP		
85	E2219	Manual wheelchair accessory, foam caster tire, any size, each	41.30		
86	E2220	Manual wheelchair accessory, solid ( rubber/plastic ) propulsion tire, any size, each	28.15		
87	E2221	Manual wheelchair accessory, solid ( rubber/plastic ) caster tire ( removable ), any size, each	25.22		
88	E2222	Manual wheelchair accessory, solid ( rubber/plastic ) caster tire with integrated wheel, any size, each	20.78		
89	E2224	Manual wheelchair accessory, propulsion wheel excludes tire, any size, each	82.27		
90	E2225	Manual wheelchair accessory, caster wheel excludes tire, any size, replacement only, each	17.17		
91	E2226	Manual wheelchair accessory, caster fork, any size, replacement only, each	37.45		
92	E2227	Manual Wheelchair accessory, gear reduction drive wheel, each	1548.73		
93	E2228	Manual Wheelchair accessory, wheel braking system and lock, complete, each	924.09		
94	E2230	Manual Wheelchair accessory, manual standing system	HP		
95	E2231	Manual wheelchair accessory, solid seat support base (replaces sling seat ), includes any type mounting hardware	151.68		

	A	B	C	D	E
1	HCPCS	Description	Electric		Manual
96	E2291	Back, planar, for pediatric size wheelchair including fixed attaching hardware	HP		
97	E2292	Seat, planar, for pediatric size wheelchair including fixed attaching hardware	HP		
98	E2293	Back, contoured, for pediatric size wheelchair including fixed attaching hardware	HP		
99	E2294	Seat, contoured, for pediatric size wheelchair including fixed attaching hardware	HP		
100	E2295	Manual wheelchair accessory, for pediatric size wheelchair, dynamic seating frame, allows coordinated movement of multiple positioning features	HP		
101	E2300	Power wheelchair accessory, power seat elevation system, any type	HP		
102	E2310	Power wheelchair accessory, electronic connection between wheelchair controller and one power seating system motor, including all related electronics, indicator feature, mechanical function selection switch, and fixed mounting hardware	995.53		
103	E2311	Power wheelchair accessory, electronic connection between wheelchair controller and two or more power seating system motors, including all related electronics, indicator feature, mechanical function selection switch, and fixed mounting hardware	2015.48		
104	E2312	Power wheelchair accessory, hand or chin control interface, mini-proportional remote joystick, proportional, including fixed mounting hardware	1990.50	2538.67	
105	E2313	Power wheelchair accessory, harness for upgrade to expandable controller, including all fasteners, connectors and mounting hardware, each	316.09		
106	E2321	Power wheelchair accessory, hand control interface, remote joystick, nonproportional, including all related electronics, mechanical stop switch, and fixed mounting hardware	1351.85	2202.00	
107	E2322	Power wheelchair accessory, hand control interface, multiple mechanical switches, nonproportional, including all related electronics, mechanical stop switch and fixed mounting hardware	1199.80	2331.88	
108	E2323	Power wheelchair accessory, specialty joystick handle for hand control interface, prefabricated	58.83		
109	E2324	Power wheelchair accessory, chin cup for chin control interface	37.28		
110	E2325	Power wheelchair accessory, sip and puff interface, nonproportional, including all related electronics, mechanical stop switch, and manual swingaway mounting hardware	1145.75		
111	E2326	Power wheelchair accessory, breath tube kit for sip and puff interface	295.31		
112	E2327	Power wheelchair accessory, head control interface, mechanical, proportional, including all related electronics, mechanical direction change switch, and fixed mounting hardware	2222.35	3376.30	
113	E2328	Power wheelchair accessory, head control or extremity control interface, electronic, proportional, including all related electronics and fixed mounting hardware	4215.49		
114	E2329	Power wheelchair accessory, head control interface, contact switch mechanism, nonproportional, including all related electronics, mechanical stop switch, mechanical direction change switch, head array, and fixed mounting hardware	1502.45		

	A	B	C	D	E
1	HCPCS	Description	Electric		Manual
115	E2330	Power wheelchair accessory, head control interface, proximity switch mechanism, nonproportional, including all related electronics, mechanical stop switch, mechanical direction change switch, head array, and fixed mounting hardware	2911.17		
116	E2331	Power wheelchair accessory, attendant control, proportional, including related electronics and fixed mounting hardware	HP		
117	E2340	Power wheelchair accessory, nonstandard seat frame width, 20-23 inches	353.70		
118	E2341	Power wheelchair accessory, nonstandard seat frame width, 24-27 inches	530.59		
119	E2342	Power wheelchair accessory, nonstandard seat frame depth, 20 or 21 inches	442.16		
120	E2343	Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches	707.46		
121	E2351	Power wheelchair accessory, electronic interface to operate speech generating device using power wheelchair control interface	594.32		
122	E2359	Power wheelchair accessory; Group 34 sealed lead acid battery, each (e.g., gell cell, absorbed glassmat)	175.82		
123	E2360	Power wheelchair accessory, 22NF non-sealed lead acid battery, each (includes replacement labor)	94.25		
124	E2361	Power wheelchair accessory, 22NF sealed lead acid battery, each, (e.g. gel cell, absorbed glassmat) (includes replacement labor)	118.65		137.65
125	E2362	Power wheelchair accessory, Group 24 nonsealed lead acid battery, each (includes replacement labor)	90.79		
126	E2363	Power wheelchair accessory, Group 24 sealed lead acid battery, each (e.g. gel cell, absorbed glassmat ) (includes replacement labor)	158.23		183.59
127	E2364	Power wheelchair accessory, U-1 nonsealed lead acid battery, each (includes replacement labor)	94.25		
128	E2365	Power wheelchair accessory, U-1 sealed lead acid battery, each, ( e.g. gel cell, absorbed glassmat ) (includes replacement labor)	95.42		110.71
129	E2366	Power wheelchair accessory, battery charger, single mode, for use with only one battery type, sealed or nonsealed, (replacement only), each	190.62		221.16
130	E2368	Power wheelchair component, motor, replacement only, labor billed separately	439.45		509.86
131	E2369	Power wheelchair component, drive wheel gear box, replacement only, labor billed separately	382.77		444.09
132	E2370	Power wheelchair component, integrated drive wheel motor and gear box combination, replacement only	682.98		792.40
133	E2371	Power wheelchair accessory, group 27 sealed lead acid battery, ( e.g. gel cell, absorbed glassmat ), each	128.23		148.78
134	E2372	Power wheelchair accessory, group 27 non-sealed lead acid battery, each	HP		
135	E2373	Power wheelchair accessory, hand or chin control interface, compact remote joystick, proportional, including fixed mounting hardware	693.84	1070.48	

	A	B	C	D	E
1	HCPCS	Description	Electric		Manual
136	E2374	Power wheelchair accessory, hand or chin control interface, standard remote joystick ( not including controller ), proportional, including all related electronics and fixed mounting hardware, replacement only	454.29		
137	E2375	Power wheelchair accessory, nonexpandable controller, including all related electronics and mounting hardware, replacement only.	728.68		
138	E2376	Power wheelchair accessory, expandable controller, including all related electronics and mounting hardware, replacement only.	1141.87		
139	E2377	Power wheelchair accessory, expandable controller, including all related electronics and mounting hardware, upgrade provided at initial issue.	413.20		
140	E2378	POWER WHEELCHAIR COMPONENT ACUATOR REPLACEMENT ONLY	525.96		
141	E2381	Power wheelchair accessory, pneumatic drive wheel tire, any size, replacement only, each	64.80		75.19
142	E2382	Power wheelchair accessory, tube for pneumatic drive wheel tire, any size, replacement only, each	17.67		20.50
143	E2383	Power wheelchair accessory, insert for pneumatic drive wheel tire ( removable ), any type, any size, replacement only, each	129.20		149.90
144	E2384	Power wheelchair accessory, pneumatic caster tire, any size, replacement only, each	68.83		79.86
145	E2385	Power wheelchair accessory, tube for pneumatic caster tire, any size, replacement only, each	42.11		48.86
146	E2386	Power wheelchair accessory, foam filled drive wheel tire, any size, replacement only, each	128.04		148.56
147	E2387	Power wheelchair accessory, foam filled caster tire, any size, replacement only, each	55.23		64.09
148	E2388	Power wheelchair accessory, foam drive wheel tire, any size replacement only, each	42.86		49.74
149	E2389	Power wheelchair accessory, foam caster tire, any size, replacement only, each	23.27		27.01
150	E2390	Power wheelchair accessory, solid ( rubber/plastic ) drive wheel tire, any size, replacement only, each	36.40		42.23
151	E2391	Power wheelchair accessory, solid ( rubber/plastic ) caster tire ( removable ), any size, replacement only, each	17.44		20.24
152	E2392	Power wheelchair accessory, solid ( rubber/plastic ) caster tire with integrated wheel, any size, replacement only, each	45.83		53.18
153	E2394	Power wheelchair accessory, drive wheel excludes tire, any size, replacement only, each	62.29		75.75
154	E2395	Power wheelchair accessory, caster wheel excludes tire, any size, replacement only, each	46.41		53.84
155	E2396	Power wheelchair accessory, caster fork, any size, replacement only, each	56.58		65.65
156	E2397	Power wheelchair accessory, lithium-based battery, each (includes replacement labor) allow 1 every 3 years	408.75		
157	E2601	General use wheelchair seat cushion, width less than 22 inches, any depth	52.03		60.37
158	E2602	General use wheelchair seat cushion, width 22 inches or greater, any depth	101.58		117.85
159	E2603	Skin protection wheelchair seat cushion, width less than 22 inches, any depth	128.96		149.62
160	E2604	Skin protection wheelchair seat cushion, width 22 inches or greater, any depth	160.28		185.96



	A	B	C	D	E
1	HCPCS	Description	Electric		Manual
161	E2605	Positioning wheelchair seat cushion, width less than 22 inches, any depth	228.98		265.67
162	E2606	Positioning wheelchair seat cushion, width 22 inches or greater, any depth	357.24		414.48
163	E2607	Skin protection and positioning wheelchair seat cushion, width less than 22 inches, any depth	246.57		286.08
164	E2608	Skin protection and positioning wheelchair seat cushion, width 22 inches or greater, any depth	296.12		343.56
165	E2609	Custom fabricated wheelchair seat cushion, any size	HP		
166	E2611	General use wheelchair back cushion, width less than 22 inches, any height, including any type mounting hardware	265.72		308.29
167	E2612	General use wheelchair back cushion, width 22 inches or greater, any height, including any type mounting hardware	359.46		417.05
168	E2613	Positioning wheelchair back cushion, posterior, width less than 22 inches, any height, including any type mounting hardware	334.36		387.93
169	E2614	Positioning wheelchair back cushion, posterior, width 22 inches or greater, any height, including any type mounting hardware	462.72		536.86
170	E2615	Positioning wheelchair back cushion, posterior-lateral, width less than 22 inches, any height, including any type mounting hardware	384.79		446.94
171	E2616	Positioning wheelchair back cushion, posterior-lateral, width 22 inches or greater, any height, including any type mounting hardware	517.17		600.67
172	E2617	Custom fabricated wheelchair back cushion, any size, including any type mounting hardware	HP		
173	E2619	Replacement cover for wheelchair seat cushion or back cushion, each	43.65		50.66
174	E2620	Positioning wheelchair back cushion, planar back with lateral supports, width less than 22 inches, any height, any type mounting hardware	465.93		540.58
175	E2621	Positioning wheelchair back cushion, planar back with lateral supports, width 22 inches or greater, any height, including any type mounting hardware	488.95		567.29
176	E2622	Skin protection w/c seat cushion adjustable width <22 inches any depth	281.70		326.83
177	E2623	Skin protection w/c seat cushion adjustable width 22 inches or > any depth	358.45		415.88
178	E2624	Skin protection and positioning w/c seat cushion adjustable width < 22 inches any depth	284.01		329.52
179	E2625	Skin protection and positioning w/c seat cushion adjustable width 22 inches or > any depth	359.54		417.14
180	E2626	Wheelchair accessory; shoulder elbow, mobile arm support attached to wheelchair, balanced, adjustable	627.13		
181	E2627	Wheelchair accessory; shoulder elbow, mobile arm support attached to wheelchair, balanced, adjustable rancho type	850.60		
182	E2628	Wheelchair accessory; shoulder elbow, mobile arm support attached to wheelchair; balanced; reclining	753.87		
183	E2629	Wheelchair accessory; shoulder elbow, mobile arm support attached to wheelchair; balanced; friction arm support (friction dampening to proximal and distal joints)	954.01		

	A	B	C	D	E
1	HCPCS	Description	Electric		Manual
184	E2630	Wheelchair accessory; shoulder elbow; mobile arm support, monosuspension arm and hand support, overhead elbow forearm hand sling support, yoke type suspension support	667.14		
185	E2631	Wheelchair accessory, addition to mobile arm support, elevating proximal arm	266.87		
186	E2632	Wheelchair accessory, addition to mobile arm support, offset or lateral rocker arm with elastic balance control	169.69		
187	E2633	Wheelchair accessory, addition to mobile arm support, supinator	143.93		
188	K0005	Wheelchair; ultra lightweight	HP		
189	K0010	Standard-weight frame motorized / power wheelchair	4204.53		
190	K0011	Standard-weight frame motorized / power wheelchair with programmable control parameters for speed adjustment, tremor dampening, acceleration control and braking	5056.17		
191	K0012	Lightweight portable motorized / power wheelchair	3207.00		
192	K0013	Custom power wheelchair base	HP		
193	K0014	Other motorized / power wheelchair base	HP		
194	K0015	Detachable, non-adjustable height armrest, each	154.57		179.34
195	K0017	Detachable, adjustable height armrest, base, each	43.48		50.45
196	K0018	Detachable, adjustable height armrest, upper portion, each	24.28		28.17
197	K0019	Arm pad, each	13.91		16.14
198	K0020	Fixed, adjustable height armrest, pair	HP		45.85
199	K0037	High mount flip-up footrest, each	40.97		47.54
200	K0038	Leg strap, each	20.64		23.94
201	K0039	Leg strap, H style, each	45.83		53.18
202	K0040	Adjustable angle footplate, each	63.53		73.70
203	K0041	Large size footplate, each	45.02		52.24
204	K0042	Standard size footplate, each	30.99		35.96
205	K0043	Footrest, lower extension tube, each	16.61		19.28
206	K0044	Footrest, upper hanger bracket, each	HP		
207	K0045	Footrest, complete assembly, each	48.17		55.88
208	K0046	Elevating legrest, lower extension tube, each	16.61		19.28
209	K0047	Elevating Legrest, upper hanger bracket, each	64.99		75.41
210	K0050	Ratchet assembly	27.62		32.05
211	K0051	Cam release assembly, footrests or legrests, each	44.71		51.87
212	K0052	Swingaway, detachable footrests, each	78.64		91.24
213	K0053	Elevating footrests, articulating (telescoping), each	86.78		100.68
214	K0056	Seat height less than 17" or equal to or greater than 21" for a high-strength, lightweight, or Ultra lightweight wheelchair	93.87		
215	K0065	Spoke protectors, each	43.88		



	A	B	C	D	E
1	HCPCS	Description	Electric		Manual
216	K0069	Rear wheel assembly, complete, with solid tire, spokes or molded, each	98.62		
217	K0070	Rear wheel assembly, complete, with pneumatic tire, spokes or molded, each	180.78		
218	K0071	Front caster assembly, complete, with pneumatic tire, each (included when pricing a new w/c)	107.83		
219	K0072	Front caster assembly, complete, with semi-pneumatic tire, each (included when pricing a new w/c)	64.91		
220	K0073	Caster pin lock, each	32.99		
221	K0077	Front caster assembly, complete, with solid tire, each (included when pricing a new w/c)	58.08		
222	K0105	IV hanger, each	98.14		
223	K0108	Wheelchair component or accessory, not otherwise specified	HP		
224	K0669	Wheelchair accessory, wheelchair seat or back cushion, does not meet specific code criteria or no written coding verification from DME PDAC	HP		
225	K0733	Power wheelchair accessory, 12 to 24 amp hour sealed lead acid battery, each, ( e.g, gel cell, absorbed glassmat)	25.70		29.82
226	K0739	Repair or nonroutine service for DME other than oxygen equipment requiring the skill of a tech, labor component	HP		
227	K0800	Power operated vehicle, group 1 standard, patient weight capacity up to and including 300 pounds	1099.76		
228	K0801	Power operated vehicle, group 1 heavy-duty, patient weight capacity 301 to 450 pounds	1773.05		
229	K0802	Power operated vehicle, group 1 very heavy-duty, patient weight capacity 451 to 600 pounds	2006.51		
230	K0806	Power operated vehicle, group 2 standard, patient weight capacity up to and including 300 pounds	1330.42		
231	K0807	Power operated vehicle, group 2 heavy-duty, patient weight capacity 301 to 450 pounds	2018.75		
232	K0808	Power operated vehicle, group 2 very heavy-duty, patient weight capacity 451 to 600 pounds	3123.43		
233	K0812	Power operated vehicle, not otherwise classified	HP		
234	K0813	Power wheelchair, group 1 standard, portable, sling / solid seat and back, patient weight capacity up to and including 300 pounds	2052.21		
235	K0814	Power wheelchair, group 1 standard, portable, captain's chair, patient weight capacity up to and including 300 pounds	2626.83		
236	K0815	Power wheelchair, group 1 standard, sling / solid seat and back, patient weight capacity up to and including 300 pounds	2991.36		
237	K0816	Power wheelchair, group 1 standard, captain's chair, patient weight capacity up to and including 300 pounds	2864.65		
238	K0820	Power wheelchair, group 2 standard, portable, sling / solid seat / back, patient weight capacity up to and including 300 pounds	2191.89		
239	K0821	Power wheelchair, group 2 standard, portable, captain's chair, patient weight capacity up to and including 300 pounds	2813.89		
240	K0822	Power wheelchair, group 2 standard, sling / solid seat / back, patient weight capacity up to and including 300 pounds	3400.64		

	A	B	C	D	E
1	HCPCS	Description	Electric		Manual
241	K0823	Power wheelchair, group 2 standard, captain's chair, patient weight capacity up to and including 300 pounds	3422.92		
242	K0824	Power wheelchair, group 2 heavy-duty, sling / solid seat / back, patient weight capacity 301 to 450 pounds	4119.64		
243	K0825	Power wheelchair, group 2 heavy-duty, captain's chair, patient weight capacity 301 to 450 pounds	3771.28		
244	K0826	Power wheelchair, group 2 very heavy-duty, sling / solid seat / back, patient weight capacity 451 to 600 pounds	5333.28		
245	K0827	Power wheelchair, group 2 very heavy-duty, captain's chair, patient weight capacity 451 to 600 pounds	4535.03		
246	K0828	Power wheelchair, group 2 extra heavy-duty, sling / solid seat / back, patient weight capacity 601 pounds or more	5876.79		
247	K0829	Power wheelchair, group 2 extra heavy-duty, captain's chair, patient weight capacity 601 pounds or more	5396.54		
248	K0830	Power wheelchair, group 2 standard, seat elevator, sling / solid seat / back, patient weight up to and including 300 pounds	HP		
249	K0831	Power wheelchair, group 2 standard, seat elevator, captain's chair, patient weight capacity up to and including 300 pounds	HP		
250	K0835	Power wheelchair, group 2 standard, single power option, sling / solid seat / back, patient weight capacity up to and including 300 pounds	3451.59		
251	K0836	Power wheelchair, group 2 standard, single power option, captain's chair, patient weight capacity up to and including 300 pounds	3579.33		
252	K0837	Power wheelchair, group 2 heavy-duty, single power option, sling / solid seat / back, patient weight capacity	4119.64		
253	K0838	Power wheelchair, group 2 heavy-duty, single power option, captain's chair, patient weight capacity 301 to 450 pounds	3685.46		
254	K0839	Power wheelchair, group 2 very heavy-duty, single power option, sling / solid seat / back, patient weight	5333.28		
255	K0840	Power wheelchair, group 2 extra heavy-duty, single power option, sling / solid seat / back, patient weight	8080.24		
256	K0841	Power wheelchair, group 2 standard, multiple power option, sling / solid seat / back, patient weight capacity up to and including 300 pounds	3673.80		
257	K0842	Power wheelchair, group 2 standard, multiple power option, captain's chair, patient weight capacity up to	3673.80		
258	K0843	Power wheelchair, group 2 heavy-duty, multiple power option, sling / solid seat / back, patient weight capacity 301 to 450 pounds	4423.26		
259	K0848	Power wheelchair, group 3 standard, sling / solid seat / back, patient weight capacity up to and including 300 pounds	4495.46		
260	K0849	Power wheelchair, group 3 standard, captain's chair, patient weight capacity up to and including 300 pounds	4322.12		

	A	B	C	D	E
1	HCPCS	Description	Electric		Manual
261	K0850	Power wheelchair, group 3 heavy-duty, sling / solid seat / back, patient weight capacity 301 to 400 pounds	5214.65		
262	K0851	Power wheelchair, group 3 heavy-duty, captain's chair, patient weight capacity 301 to 400 pounds	5013.77		
263	K0852	Power wheelchair, group 3 very heavy-duty, sling / solid seat / back, patient weight capacity 451 to 600 pounds	6025.21		
264	K0853	Power wheelchair, group 3 very heavy-duty, captain's chair, patient weight capacity 451 to 600 pounds	6189.34		
265	K0854	Power wheelchair, group 3 extra heavy-duty, sling / solid seat / back, patient weight capacity 601 pounds or more	8199.53		
266	K0855	Power wheelchair, group 3 extra heavy-duty, captain's chair, patient weight capacity 601 pounds or more	7745.69		
267	K0856	Power wheelchair, group 3 standard, single power option, sling / solid seat / back, patient weight capacity up to and including 300 pounds	4825.40		
268	K0857	Power wheelchair, group 3 standard, single power option, captain's chair, patient weight capacity up to and	4922.12		
269	K0858	Power wheelchair, group 3 heavy-duty, single power option, sling / solid seat / back, patient weight 301 to 450 pounds	5986.86		
270	K0859	Power wheelchair, group 3 heavy-duty, single power option, captain's chair, patient weight capacity 301 to	5709.65		
271	K0860	Power wheelchair, group 3 very heavy-duty, single power option, sling / solid seat / back, patient weight capacity 451 to 600 pounds	8553.06		
272	K0861	Power wheelchair, group 3 standard, multiple power option, sling / solid seat / back, patient weight capacity up to and including 300 pounds	4833.20		
273	K0862	Power wheelchair, group 3 heavy-duty, multiple power option, sling / solid seat / back, patient weight capacity 301 to 450 pounds	5986.86		
274	K0863	Power wheelchair, group 3 very heavy-duty, multiple power option, sling / solid seat / back, patient weight capacity 451 to 600 pounds	8553.06		
275	K0864	Power wheelchair, group 3 extra heavy duty, multiple power option, sling / solid seat / back, patient weight capacity 601 pounds or more	10178.23		
276	K0868	Power wheelchair, group 4 standard, sling / solid seat / back, patient weight capacity up to and including 300 pounds	HP		
277	K0869	Power wheelchair, group 4 standard, captain's chair, patient weight capacity up to and including 300 pounds	HP		
278	K0870	Power wheelchair, group 4 heavy-duty, sling / solid seat / back, patient weight capacity 301 to 450 pounds	HP		
279	K0871	Power wheelchair, group 4 very heavy-duty, sling / solid seat / back, patient weight capacity 451 to 600 pounds	HP		

	A	B	C	D	E
1	HCPCS	Description	Electric		Manual
280	K0877	Power wheelchair, group 4 standard, single power option, sling / solid seat / back, patient weight capacity up to and including 300 pounds	HP		
281	K0878	Power wheelchair, group 4 standard, single power option, captain's chair, patient weight capacity up to and including 300 pounds	HP		
282	K0879	Power wheelchair, group 4 heavy-duty, single power option, sling / solid seat / back, patient weight capacity 301 to 450 pounds	HP		
283	K0880	Power wheelchair, group 4 very heavy-duty, single power option, sling / solid seat / back, patient weight capacity 451 to 600 pounds	HP		
284	K0884	Power wheelchair, group 4 standard, multiple power option, sling / solid seat / back, patient weight capacity up to and including 300 pounds	HP		
285	K0885	Power wheelchair, group 4 standard, multiple power option, captain's chair, patient weight capacity up to and including 300 pounds	HP		
286	K0886	Power wheelchair, group 4 heavy-duty, multiple power option, sling / solid seat / back, patient weight capacity 301 to 450 pounds	HP		
287	K0890	Power wheelchair, group 5 pediatric, single power option, sling / solid seat / back, patient weight capacity up to and including 125 pounds	HP		
288	K0891	Power wheelchair, group 5 pediatric, multiple power option, sling / solid seat / back, patient weight capacity up to and including 125 pounds	HP		
289	K0898	Power wheelchair - not otherwise classified	HP		
290	K0899	Power mobility device, not coded by DME PDAC or does not meet criteria	HP		